BBA

Biomembranes

Vol. 1064, 1991

Cumulative Contents

Regular Papers

The one-site model of human erythrocyte glucose transport: testing its predictions using network thermodynamic computer simulations
J.M. May (U.S.A.) 1

Spin labeling studies of wheat germ calmodulin in solution
M.A. Yacko, T.C. Vanaman and D.A. Butterfield (U.S.A.) 7

Ionic channels induced by surfactin in planar lipid bilayer membranes
J.D. Sheppard, C. Jumarie, D.G. Cooper and R. Laprade (Canada) 13

Pyrene derivatives as markers of transbilayer effect of lipid peroxidation on neuronal membranes
P. Viani, G. Cervato and B. Cestaro (Italy) 24

Oligomycin interaction with Na,K-ATPase: oligomycin binding and dissociation are slow processes
M. Esmann (Denmark) 31

3-*O*-Methyl-D-glucose transport in rat red cells: effects of heavy water
R.J. Naftalin and R.J. Rist (U.K.) 37

Influence of the 53 kDa glycoprotein on the cooperativity of the Ca^{2+}-ATPase of the sarcoplasmic reticulum
H. Kutchai, K. Boyd, Q. Xu and C.P. Weis (U.S.A.) 49

Antibodies against the 53 kDa glycoprotein inhibit the rotational dynamics of both the 53 kDa glycoprotein and the Ca^{2+}-ATPase in the sarcoplasmic reticulum membrane
J.E. Mahaney, C.P. Weis, C.M. Grisham and H. Kutchai (U.S.A.) 55

Surface ripples cause the large fluid spaces between gel phase bilayers containing small amounts of cholesterol
S.A. Simon and T.J. McIntosh (U.S.A.) 69

Potassium channels in aortic microsomes: conductance, selectivity, barium-induced blockage and subconductance states
I.B. Bezprozvanny, D.S. Benevolensky and A.P. Naumov (U.S.S.R.) 75

pH-dependence of inhibition by H_2DIDS of mouse erythroid band 3-mediated Cl^- transport in *Xenopus* oocytes. The effect of oligonucleotide-directed replacement of Lys-558 by an Asn residue
D. Kietz, D. Bartel, S. Lepke and H. Passow (F.R.G.) 81

Functional characterisation of the ryanodine receptor purified from sheep cardiac muscle sarcoplasmic reticulum
A.R.G. Lindsay and A.J. Williams (U.K.) 89

Monensin-mediated antiport of Na^+ and H^+ across liposome membrane
K. Nakazato and Y. Hatano (Japan) 103

A mathematical model of rabbit cortical thick ascending limb of the Henle's loop
P.L. Fernandes and H.G. Ferreira (Portugal) 111

Effect of 2.45 GHz microwave radiation on permeability of unilamellar liposomes to 5(6)-carboxyfluorescein. Evidence of non-thermal leakage
E. Saalman, B. Nordén, L. Arvidsson, Y. Hamnerius, P. Höjevik, K.E. Connell and T. Kurucsev (Sweden, Australia) 124

Some properties of the H-ATPase activity present in root plasmalemma of *Avena sativa* L. Two different enzymes or one enzyme with two ATP sites?
G. Roberts, G. Berberián and L. Beaugé (Argentina) 131

Chemical crosslinking and enzyme kinetics provide no evidence for a regulatory role for the 53 kDa glycoprotein of sarcoplasmic reticulum in calcium transport
A.J. Burgess, I. Matthews, E.A. Grimes, A.M. Mata, F.M. Munkonge, A.G. Lee and J.M. East (U.K.) 139

Effect of insulin on the lytic action of lysophosphatidylcholine in lipid bilayers
G.A. Senisterra, J.J. Gagliardino and E.A. Disalvo (Argentina) 148

Osmotic lysis of chromaffin granules treated with the ionophores nigericin and A23187 in isotonic sucrose solution at low pH
J. Engel and E. Donath (F.R.G.) 155

Reports

Mycoplasma contamination greatly enhances the apparent transport and concentrative accumulation of formycin B by mammalian cell culture
P.G.W. Plagemann (U.S.A.) 162

A kinetic method for measuring functional delivery of amphotericin B by drug delivery systems
R.P. Peterson, S.K. Benz, B.S. Whyte and S.C. Hartsel (U.S.A.) 165

Regular Papers

Effects of dihydropyridines and inorganic calcium blockers on aggregation and on intracellular free calcium in platelets
J. Palés, L. Palacios-Araus, A. López and A. Gual (Spain) 169

Abnormal rapid Ca^{2+} release from sarcoplasmic reticulum of malignant hyperthermia susceptible pigs
L. Carrier, M. Villaz and Y. Dupont (France) 175

Oxalate binding to rat intestinal brush-border membrane in pyridoxine deficiency: a kinetic study
H.K. Koul, S.K. Thind and R. Nath (India) 184

Renal transport of taurine in luminal membrane vesicles from rabbit proximal tubule
H. Jessen and M.I. Sheikh (Denmark) 189

The electrical response of maize to auxins
H. Felle, W. Peters and K. Palme (Germany) 199

Characterization and localization of ouabain-insensitive Na-dependent ATPase activities along the rat nephron
G. El Mernissi, C. Barlet-Bas, C. Khadouri, S. Marsy, L. Cheval and A. Doucet (Morocco, France) 205

Subconductance states in calcium-activated potassium channels from canine airway smooth muscle
L.L. Stockbridge, A.S. French and S.F.P. Man (Canada) 212

Binding and mobility of anti-dinitrophenyl monoclonal antibodies on fluid-like, Langmuir-Blodgett phospholipid monolayers containing dinitrophenyl-conjugated phospholipids
M.M. Timbs, C.L. Poglitsch, M.L. Pisarchick, M.T. Sumner and N.L. Thompson (U.S.A.) 219

Some characteristics of sodium-independent phosphate transport across renal basolateral membranes
A.M. Azzarolo, G. Ritchie and G.A. Quamme (Canada) 229

Fast translocation of phosphatidylcholine to the outer membrane leaflet after its synthesis at the inner membrane surface in human erythrocytes
C. Andrick, K. Bröring, B. Deuticke and C.W.M. Haest (F.R.G.) 235

Phospholipase D activity in subcellular membranes of rat ventricular myocardium
V. Panagia, C. Ou, Y. Taira, J. Dai and N.S. Dhalla (Canada) 242

Volumetric properties of polyols (ethylene glycol, glycerol, *meso*-erythritol, xylitol and mannitol) in relation to their membrane permeability: group additivity and estimation of the maximum radius of their molecules
K. Kiyosawa (Japan) 251

Formation of ion channels in planar lipid bilayer membranes by synthetic basic peptides
K. Anzai, M. Hamasuna, H. Kadono, S. Lee, H. Aoyagi and Y. Kirino (Japan) 256

Solution effects on the thermotropic phase transition of unilamellar liposomes
L.M. Crowe and J.H. Crowe (U.S.A.) 267

Cholesterol-transfer protein located in the intestinal brush-border membrane. Partial purification and characterization
H. Thurnhofer, J. Schnabel, M. Betz, G. Lipka, C. Pidgeon and H. Hauser (Switzerland, U.S.A.) 275

Sulfate transport in human placenta: further evidence for a sodium-independent mechanism
D.E.C. Cole and N. Rastogi (Canada) 287

Antiidiotypic antibodies against anti-cGMP polyclonal antibodies
E.A. Filatova, G.B. Krapivinsky, G.N. Filatov, A.V. Lazareva and E.E. Fesenko (U.S.S.R.) 293

Palmitate binding to and efflux kinetics from human erythrocyte ghost
I.N. Bojesen and E. Bojesen (Denmark) 297

Oxidative damage by phenylhydrazine diminishes erythrocyte anion transport
H.R. Petty, M.-j. Zhou and Z. Zheng (U.S.A.) 308

Water permeation in Madin-Darby canine kidney cells is modulated by membrane fluidity
M.-C. Giocondi and C. Le Grimellec (France) 315

Covalent and non-covalent inhibitors of the phosphate transporter of sarcoplasmic reticulum
H.I. Stefanova, J.M. East and A.G. Lee (U.K.) 321

Effects of Mg^{2+} and ATP on the phosphate transporter of sarcoplasmic reticulum
H.I. Stefanova, S.D. Jane, J.M. East and A.G. Lee (U.K.) 329

Reconstitution experiments provide no evidence for a role for the 53-kDa glycoprotein in coupling Ca^{2+} transport to ATP hydrolysis by the $(Ca^{2+}$-$Mg^{2+})$-ATPase in sarcoplasmic reticulum
E.A. Grimes, A.J. Burgess, J.M. East and A.G. Lee (U.K.) 335

Rapid cold-induced changes of membrane order and Δ^9-desaturase activity in endoplasmic reticulum of carp liver: a time-course study of thermal acclimation
E. Wodtke and A.R. Cossins (F.R.G., U.K.) 343

Specific binding of tritium-labeled inositol 1,4,5-trisphosphate to human platelet membranes: ionic and GTP regulation
S.-B. Hwang (U.S.A.) 351

Biosynthesis of the cloned intestinal Na^+/glucose cotransporter
M.A. Hediger, J. Mendlein, H.-S. Lee and E.M. Wright (U.S.A.) 360

Report

Synthetic analogues of alamethicin: effect of C-terminal residue substitutions and chain length on the ion channel lifetimes
G. Molle, H. Duclohier, S. Julien and G. Spach (France) 365

Author Index 375